

DS-D5050UC 50" 4K MONITOR



Features and Functions

- Ultra HD 4K(3840 × 2160) display
- High brightness and high contrast
- Wide view angle: 178°(H)/178°(V)
- Automatic adaptive redisplay rate when signal input
- Industrial ultra-thin design, convenience and beauty
- HDMI 1 interface is HDMI 2.0, HDMI 2 interface is HDMI1.4
- Image processing: 3D comb filter, 3D De-interlace, 3D noise reduction
- High reliable components for 7 × 16 working hours
- Adopt 64bit processor, provide excellent image processing capability, optimize all kinds of video signals and improve image quality
- VESA standard bracket



Specifications


Model	DS-D5050UC	
LCD Screen	Backlight	LED Backlight
	Dimension	50 inch
	Optimal working resolution	3840 × 2160@60Hz
	Brightness	300 cd/m ²
	Contrast	4000: 1
	Response time	8ms
	Color	16.7M
	Active Area	1095.84 × 616.41 mm
	Viewing Angle	Horizontal 178°, vertical 178°
Interfaces	LAN	1
	VGA input	1
	HDMI input	1
	AV input	1 (CVBS IN, L Audio input, R Audio input)
	USB 2.0	1
	USB 3.0	1
	SPDIF output	1
General	Casing Material	Plastic
	Color of Casing	Black
	Wall-mounting Hole	400 × 200 mm
	Wall-mounting Screw	M6
	Speakers	2*8W
	Power Supply	100 to 240 VAC, 50/60Hz
	Power Consumption	≤ 117W
	Standby Power Consumption	≤ 0.5 W
	Working Temperature	0 to 40 °C (0 to 104 °F)
	Working Humidity	10 to 90 %
	Storage Temperature	-20 to 60 °C (-68 to 140 °F)
	Storage Humidity	5 to 95%
	Dimensions	1123.6 × 649.3 × 77 mm
	Packing Dimensions	1280 × 845 × 203 mm
Gross Weight	12.35 kg	
Net Weight	12.00 kg	
Accessories	Specification*1, Power cord*1, HDMI cable*1, Remote control*1	

Note: All specifications mentioned above are subject to the actual product.


Physical Interfaces



NO.	Description	Position
1	LAN	Bottom
2	VGA	
3	SPDIF OUT	
4	CVBS/AV IN	
5	L AUDIO INPUT	
6	R AUDIO INPUT	
7	HDMI 1 IN	
8	USB2.0	Side
9	USB3.0	
10	HDMI 2 IN	




Dimensions (unit: mm)



Available Models

DS-D5050UC

Distributed by



HIKVISION

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Europe
T +31-23-55-42-770
info.eu@hikvision.com

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision UK
T +01628-902140
support.uk@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Korea
T +82-31-731-8841
sales.korea@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Africa
T +27 (10) 0351172
sale.africa@hikvision.com

Hikvision Hong Kong
T +852-2151-1761